

COSMETIC PACKAGINGS

Airtight & Airless Systems

2013 Vol.1

Introduction

DMT wishes to pursue to contribute to the humanity and to the nature through continuous market research and new product development activities. We would like to become a reliable packaging supplier for cosmetics, pharmaceutical and personal care packaging industry.

DMT is one of the top leading manufacturers of cosmetic tubes in Asia-pacific. Since our business start in 1987, we have been rapidly growing in the packaging field based on the certified manufacturing process of our own production standard, CLASS-CGMP. Now we produce more variety of Airless Dispensing Systems for skin care and color cosmetics with high technical experts and also Eco-friendly entire production control programs with global R&D partnership.

DMT will effort to ensuring continued compliance with legal, ethical, social and environmental commitment. This is our company's essential policy to grow together with our customers and we value our relationship with our partners to share the principles and values. We hope to continue to work with you to enjoy this common values.

Dream is within you and us!

はじめに

DMTIは、継続的な市場調査、新製品開発活動を通じて、人類に貢献し、自然に優しく、また、我々は、化粧品、医薬品、パーソナルケア、包装産業の安定的な提供者になりたいです。

DMTIは、アジア太平洋地域の化粧品のチューブ製造の代表者です。我々は、1987年の開始以来、急速に我々自身の生産標準、クラス-CGMPの認証された製造工程に基づいてパッケージングの分野で成長しました。

今、私たちは高い技術の専門家、グローバルR&Dパートナーシップと環境にやさしい完全生産管理プログラムとAir-less dispensingのためのシステムとカラー化粧品をより多様に生産しています。

DMTIは、法的、倫理的、社会的、環境的責任と持続的な遵守を確保するために努力します。

これは、顧客と一緒に成長している当社の重要な政策であり、我々は、原則と価値を共有するパートナーとの関係を非常に重要だと思えます。私たちはこの共通の価値と一緒に、あなたと仕事を続けたいです。


夢は私たちの中にあります!

Table of Contents*

Airless Tubes	DM-Airless Tubes	04
	Airless Lip Tubes	06
	Airless Pump Tubes	08
Lotion Dispenser	Airless Pump Dispenser	10
	Diptube Dispenser / Skin Toner	12
	Mist Sprayer Pump	14
Cream Jar	Airless Cream Jar	16
	PP Cream Jar / 2K Injection Jar	18
Color Cosmetics Container	Brush Tubes	20
	Air-tight Compact cases	22
	Air-tight Shadow Container	24
	Eyeliners	26
	Air-tight Mascara Case	28
Various Tubes	Laminated Tubes / ABL Coating Tubes	31
	PE Tubes	34
Eco Friendly Refillable Set	Refillable Dispenser	36
	Refillable Cream Jar	38



"A dream of world leading packaging company!"




Airless Tubes

DM-Airless Tubes

DM special fluid control technology!

DM 特別液体制御技術



COMPONENTS

Part	Material
① OVER CAP	PP
② SEAL CAP	NBR
③ NOZZLE	PP
④ SEAL-RING	NBR
⑤ VENTIL VALVE	NBR
⑥ TUBE	PE

長点

- 内容物を良い状態を維持させ、変色などを防止する。
逆支弁タイプは中と外の空気流入を調節するバルブ(弁)がある。
- 漏れ防止及び新鮮さ維持
バルブが圧力によって開閉作動し、バルブを通過した内容物の戻ることを防止させる。

ADVANTAGES

- Keep the product in good condition and prevent damages:
Dispensing system has a membrane valve to control air-gate opening And closing outside air going to inside.
- Leak proof and improve freshness:
Membrane valve operates opening and blocking Dispensing channel upon the pressure, and it makes flow stop before operating and to prevent product return back to the tube.

APPLICATIONS

- Cosmetic and pharmaceutical products, Skin care treatment, special spot care.

SPECIFICATION

- Cylindrical tubes : Ø16, Ø19, Ø22, Ø25, Ø30, Ø35, Ø40
- Material : 3 layers, 5 layers PE

CAP SELECTION

- PP, UV coating, Metallic, Hot stamping



C Type


- AL (Shiny / Matt / Pattern / Dia Cutting)



A Type

B Type

C Type




CAPACITY

Ø	A Orifice (Ø)	Volume (ml)															
		B Length (mm)															
16	1.5	51	71														
19	1.5	48	66	101													
22	1.5		67	87	113												
25	1.5		57	73	93	113	134	154									
30	3			70	81	95	109	123	137	151							
35	3				70	87	97	107	117	128	149	169					
40	3						83	91	99	107	123	138	153	170	181		

Airless Tubes

Airless Lip Tubes



COMPONENTS

Part	Material
① OVER CAP	PP
② APPLICATOR	PP
③ SEAL-RING	NBR
④ VENTIL VALVE	NBR
⑤ TUBE	PE

ADVANTAGES

- Keep the product in good condition and prevent damages: Dispensing system has a membrane valve to control air-gate opening And closing outside air going to inside.
- Leak proof and improve freshness: Membrane valve operates opening and blocking Dispensing channel upon the pressure, and it makes flow stop before operating and to prevent product return back to the tube.

APPLICATIONS

- Lip gloss, Lip balm, and lip care.

SPECIFICATION

- Cylindrical tubes : Ø16, Ø19
- Material : 3 layers, 5 layers PE


CAP SELECTION

- PP, UV coating, Metallic, Hot stamping, AL (Shiny / Matt / Pattern / Dia Cutting)



長点

- 内容物を良い状態を維持させ、変色などを防止する。
逆支弁タイプは中と外の空気流入を調節するバルブ（弁）がある。
- 漏れ防止及び新鮮さ維持
バルブが圧力によって開閉作動し、バルブを通過した内容物の戻ることを防止させる。



CAPACITY

Ø	A Orifice (Ø)	Volume (ml)		
		5	10	20
		③ Length (mm)		
16	1.5	51	71	
19	1.5	48	66	101

Airless Tubes


Airless Pump Tubes

Airless system with tube and actuator dispenser available.

Tube shows your visual artwork come true by color print, easy operating, and reduce the left volumes.

チューブのエアレスシステムとデイスペンサー。

きれいなカラープリントと容易な操作、最後まで使用可能なエアレスポンプチューブ。



DMT Pump technology possible to minimize the left volume.

APPLICATIONS

- High functionality cosmetic products, Hair product, etc.

SPECIFICATIONS

- Snap-on (A type) : Ø25, Ø30, Ø35, Ø40 / (B type) : Ø30, Ø35, Ø40

CAP SELECTION

- Coating, Metallic, AL (Shiny / Matt / Pattern / Dia Cutting)




- Hot stamping



CAPACITY



Ø	A Orifice (Ø)	Volume (ml)														
		10	20	30	40	50	60	70	80	100	120	140	160	180		
25	1.8	57	73	93	113	134	154									
30			70	81	95	109	123	137	151							
35	2.8			70	87	97	107	117	128	149	169					
40						83	91	99	107	123	138	153	170	181		



Lotion Dispenser

Airless Pump Dispenser

PP / SAN



APPLICATIONS

- Skin care, lotion, Cream, Gel and liquid foundation creams.

SPECIFICATION

- Screw-on : 30ml, 40ml, 50ml



CAPACITY

• PP

Capacity	A Diameter	B Orifice	C Bottle	D Total	Closure
ml	mm	mm	high	height	type
30	32.3	1.8	82.5	125.5	Screw
40	32.3	1.8	101.8	144.8	Screw
50	32.3	1.8	121	164	Screw




• SAN

Capacity	A Diameter	B Orifice	C Bottle	D Total	Closure
ml	mm	mm	high	height	type
30	32.3	1.8	79	125	Screw
40	32.3	1.8	92.5	138.5	Screw
50	32.3	1.8	111.5	157.5	Screw



Lotion Dispenser

Diptube Dispenser / Skin Toner



- Feature :
The adaptor is sealed to prevent air penetration and moisture evaporation.

- 特長
アダプタ (Adaptor) は空気流入及び水分蒸発を防止するため、密閉されている。

- Advantage :
Keep fresh the product left on the nozzle.

- 長点
ノズルに残っている内容を新鮮にする。

※ This adaptor is an optional extra.
※ このアダプタは追加オプションである。

APPLICATIONS

- Skin care, Hair treatment, Sun products, Lotion, cream, Gel and color foundations.

SPECIFICATION

- Diptube Dispenser(Screw on) : 30ml, 40ml • Skin Toner(Screw on) : 120ml



CAPACITY

- Diptube Dispenser

Capacity	A Diameter	B Orifice	C Bottle	D Total	Closure
ml	mm	mm	high	height	type
30	32	1.8	98.6	148	Screw
40	32.7	1.8	78	125.5	Screw

- Skin Toner

Capacity	A Diameter	B Orifice	C Bottle	D Total	Closure
ml	mm	mm	high	height	type
120	40	4	132.5	172.2	Screw





Lotion Dispenser

Mist Sprayer Pump

DMT delivers mist pump screw onto dispenser & tubes, with excellent dispensing performance in spray dynamics.
Thanks to water fluid control systems since 1985, DMT has worldwide certifications, FDA, WRAS, NSF, and supplied to Heineken, Carlsberg, Coca-cola.

DMTは、優れた分散性能とダイナミックなスプレーデイスペンサー&チューブにミストポンプで提供しています。
1985年以来、液体制御システムのノウハウと弊社は、世界中のFDA、WRAS、NSFなどの認定を持っており、Heineken、カールスバーグ、コカ・コーラに供給しています。



- Feature :
The adaptor is sealed to prevent air penetration and moisture evaporation.

- 特長
アダプタ (Adaptor) は空気流入及び水分蒸発を防止するため、密閉されている。

- Advantage :
Keep fresh the product left on the nozzle.

- 長点
ノズルに残っている内容物を新鮮にする。

※ This adaptor is an optional extra.
※ このアダプタは追加オプションである。

ADVANTAG

- Available with various color anodized. Vert Smart lead-time

APPLICATIONS

- mist sprayer, gel

CAPACITY

- Diptube Dispenser / Airless Pump Dispenser

Capacity	A Diameter	B Orifice	C Bottle	D Total	Closure
ml	mm	mm	high	height	type
30	32	1.8	98.6	148	Diptube
	32.3	1.8	79	125	Airless pump
40	32.7	1.8	78	125.5	Diptube
	32.3	1.8	92.5	138.5	Airless pump
50	32.3	1.8	111.5	157.5	Airless pump

- Airless Pump Tubes



Ø	Orifice (Ø)	B Length (mm)													
		10	20	30	40	50	60	70	80	100	120	140	160	180	
25	1.8	57	73	93	113	134	154								
30	2.8		70	81	95	109	123	137	151						

メリット


- 様々な色のアルマイトが可能です。スマートなリードタイム

SPECIFICATION


- Diptube Dispenser(Screw on) : 30ml, 40ml
- Airless Pump Dispenser(Screw on) : 30ml, 40ml, 50ml
- Airless Pump Tubes(Snap-on) : Ø25, Ø30




Cream Jar Airless Cream Jar



Standard Adaptor



Air-Sealing Adaptor



- **Feature :**
The adaptor is sealed to prevent air penetration and moisture evaporation.
- **特長**
アダプタ (Adaptor) は空気流入及び水分蒸発を防止するため、密閉されている。
- **Advantage :**
Keep fresh the product left on the nozzle.
- **長点**
ノズルに残っている内容物を新鮮にする。
- ※ This adaptor is an optional extra.
- ※ このアダプタは追加オプションである。

APPLICATIONS


- High functionality cosmetic products, Cream, Liquid Foundation, etc.

SPECIFICATION

- Screw-on : 30g, 50g

CAPACITY

Capacity	A Diameter	B Orifice	C Bottle	D Total	Closure
g	mm	mm	high	height	type
30	66.8	6	33.9	64	Snap-on
50	66.8	6	45.8	75.9	Snap-on




Cream Jar


PP Cream Jar / 2k Injection Jar



PP Cream Jar



2K injection Jar



APPLICATIONS

- Hair Cream, Gels, Cream, etc.


SPECIFICATION

- PP Cream Jar (Screw) : 50g, 80g, 100g, 150g
- 2k Injection Jar (Screw) : 30g, 50g

CAPACITY


- PP Cream Jar

Capacity	A Diameter	B Bottle	C Total	Closure
g	mm	high	height	type
50	59.4	31.4	46.8	Screw
80	62.7	38.4	53.1	Screw
100	67.6	41.6	57.4	Screw
150	78.5	47	64.6	Screw




- 2k Injection Jar

Capacity	A Diameter	B Bottle	C Total	Closure
g	mm	high	height	type
30	68	18	35	Screw
50	68	28	45	Screw



Color Cosmetics Container Brush Tubes



ADVANTAGES

- This product is available to attach the brush for color dyeing, uses various materials for foundation and made as cheap in the tube using.
- When cap is opened by button way which can open and close automatically.

APPLICATIONS

- Foundation, brightener, hair dye, etc

SPECIFICATIONS

- Snap-on : Ø35

CAP SELECTION

- Coating, Metallic, AL (Shiny / Matt / Pattern / Dia Cutting), Hot stamping



CAPACITY

Ø	A Orifice (Ø)	Volume (ml)														
		10	20	30	40	50	60	70	80	100	120	140	160	180		
35	2.5			70	87	97	107	117	128	149	169					



長点


- ブラシ付きでカラー染色用、ファンデーションなどで中身多様に使用され、Tube使用で安価に製作可能
- ボタン方式でキャップを開けると自動的にオープンされ、閉じると自動的に閉じられます

Color Cosmetics Container


Air-tight Compact cases



Air-tight Compact Case



Air-tight Refill Compact Case



ADVANTAGES

- With a sealed, leak proof construction, this compact case can protect outside air flow and evaporation.

EFFECTIVENESS

- Prevent hardening of Liquid foundation from drying out and crack.
- Inside space for puff location makes comfortable.
- Prevent Keep the color and contents from the air, moisture and crack.


効果

- O-ringを使って、空気流入を遮断させ、内容物の乾燥、クラックを防止させる。

CAPACITY


• Air-tight Compact Case

Capacity	④ Diameter	⑤ Total	Closure
g	mm	height	type
14	77	21.4	Round
8	72*72	20	Square



• Air-tight Refill Compact Case

Capacity	④ Diameter	⑤ Total	Closure
g	mm	height	type
10	70	24	Round



Seal-Ring




Color Cosmetics Container

Air-tight Shadow Container




Multi Color Case (1.2g*6ea)




Mono Color Case

6g



3g



APPLICATIONS

- Eye, Lips, Tint, Face

ADVANTAGES

- keep the powder soft & fresh prevent dry.


CAPACITY

- Multi Color Case

Capacity	Ⓐ Diameter	Ⓑ Total	Closure
g	mm	height	type
1.2*6ea	120*63.3	12.5	Oval


- Mono Color Case

Capacity	Ⓐ Diameter	Ⓑ Total	Closure
g	mm	height	type
6	43.5	15.8	Round
3	51.4	8	Round





効果

- O-ringを使って、空気流入を遮断させ、内容物の乾燥、クラックを防止させる。



Color Cosmetics Container Eyeliner



SPECIFICATION



• Screw : 2.5ml

CAPACITY

Capacity	A Diameter	B Bottle	C Total	Closure
ml	mm	high	height	type
2.5	14	49	130	Standard

Color Cosmetics Container

NEW Air-tight Eyeliner




COMPONENTS

Part	Material
1 OVER CAP	PP
2 IN CAP	PP
3 BRUSH	-
4 O-RING	NBR
5 BOTTLE	PP
6 OUTER BOTTLE	PP

- ADVANTAGES**
- Easy grip of liquid eyeliner
 - Good quality of filament liner, soft and flexible.
 - Dry proof eyeliner system available to keep liquid fresh and flavor.

- 長点**
- 簡単なグリップ感の液体アイライナー
 - 高品質のフィラメントやソフト、フレキシブル
 - ドライプルーフ アイライナーシステムはいい香り、新鮮な液体を維持させる。



SPECIFICATION

- Screw : 1.2ml

CAPACITY


Capacity	A Diameter	B Bottle	C Total	Closure
ml	mm	high	height	type
1.2	11	92	129	AL
1.2	10.5	90	126	PP

Color Cosmetics Container Air-tight Mascara Case

Air-tight Mascara / Standard Mascara / Tube Mascara



Air-tight Mascara




Feature & Advantage

- Air-tight system keeps good condition and prevents dry. When you pull out mascara brush, tube inside is closed automatically.
- System can prevent product damage and become hard by blocking air-flow from outside.
- Control of Dosage:
Sometimes peoples wants less amount, then you can use appropriate mascara quantity as much as wanted by restoring liquid volumes.


- 特長&長点**
- マスカラブラシを抜き出した時、エアータイトシステムにて内容物の乾燥を防止させる。
 - エアータイトシステムとは？ ブラシを抜き出した時、ドアシステムで自動的に閉めれる。
 - 内容物調節:
ブラシを抜く出した時、ドアシステムを擦るので、適量な量だけを使えらる。

CAPACITY


Capacity	① Diameter	② Bottle	③ Total	Closure
ml	mm	high	height	type
10	16.4	82.5	132	Air-tight




Standard Mascara




Capacity	① Diameter	② Bottle	③ Total	Closure
ml	mm	high	height	type
10	16.4	82.5	132	Standard



Tube Mascara




Capacity	① Diameter	② Bottle	③ Total	Closure
ml	mm	high	height	type
15	19	67.5	115.3	Tube






Standard Type

NEW Air-tight Type


1. Complemented for shorten of using period against harden, spoil and decreasing for material of existing container
1. 既存の内容物の固まり、変質、量減少によって使用時間が短縮される短点を補った容器開発



2. Could cleanly use through complement for weakness of insanitary which coated residue at the brush and used as remained of harden material at the entrance
2. 使用中容器口の方へ内容物が固まって、ブラシに汚れが付き、非衛生的な短点を補って綺麗に使用可能。



※ Test condition : Mascara liquid of 8ml put the container and measure under the opened cap as 50°C for 7days
※ 測定試験条件 : マスカラ液入りの容量8mlの容器をキャップ開け放して7日間 (50°C) 置いておく




World first transparent UV tubes

Plastic Barrier Laminated (P.B.L)

DMT developed laminated tube sheet material by self technology, specialized in UV protection. The only clear and transparent tube having UV protective. The 1st pioneer in worldwide.

DMTは、紫外線保護を専門と独自の技術により特殊なチューブシート素材を開発しました。きれいな透明紫外線保護チューブ。世界的な先駆者。




- ADVANTAGES**
- Available with smart printing
 - Mass production & short lead-time
- 長点**
- スマート印刷可能
 - 大量生産と短いリードタイム。

- APPLICATIONS**
- Skin, Sun, face, lips

- SPECIFICATION**
- PBL material

- CONTENT**
- 5ml to 250ml


Laminated Tubes (A.B.L/P.B.L)




- ADVANTAGES**
- Excellent blocking against UV and external conditions.
※ UV blocking efficiency of PBL : 94.3%.
 - Highly flexible and good printability. (1° ~ 9°) in transparent products and Available high speed production.
- 長点**
- UV紫外線を遮断させる。
※ PBLの紫外線遮断効率：94.3%
 - 伸縮性が高く、印刷（9度まで可能）及び生産性が容易。

- APPLICATIONS**
- Tooth pastes, Ointments, Dyes, Hair coloring agents, Food products, Dental impressioning material, Various types of adhesives (eye lash bond), Cosmetics, Silicon products, Pharmaceutical products for animals, Grease products, etc.

- DIMENSION**
- Cylindrical tubes : Ø16 ~ Ø50
 - Oval tubes : Ø25, Ø30, Ø35, Ø40, Ø50



ABL Coating Tubes



- ADVANTAGES**
- Perfect blocking tube barrier against UV and oxygen penetration.
 - Metallic appearance shows a luxury and elegant style.
- 長点**
- 紫外線と酸素透過を止める。
 - アルミタイプなので高級感を表現するのも可能。


- APPLICATIONS**
- High functionality Skin care products, Sun care, BB cream, Hair care, etc.

- DIMENSION**
- Cylindrical : Ø19 ~ Ø50
 - Oval : Ø25, Ø30, Ø35, Ø40, Ø50


PE Tubes



3 LAYERS



5 LAYERS



※ 360° Hot stamping lining available with high quality adhesin.

ADVANTAGES

- Light weight, and most widely applied good portable.
- Flexible multi-color print available.

長点

- 軽い重さ, そうして最も最適化された携帯性. 融通のマルチカラープリント利用可能.

APPLICATIONS

- Cosmetics, Hair products, Pharmaceutical products, Household wares, Chemical products, Food containers, etc.

DIMENSION

- Cylindrical : $\varnothing 13.5 \sim \varnothing 50$
- Oval : $\varnothing 25, \varnothing 30, \varnothing 35, \varnothing 40, \varnothing 50$

* Tubes Specifications

CAP DIMENSION

Ø	Cylindrical		Oval		Retinol	Lip Gloss	Cone	Hair Coloring (Scerw)			
	Screw	Flip top	Screw	Flip top							
13.5	•										
16	•										
19	•										
22	•				•						
25	•		•		•			•			
30	•	•	•						•		
35	•	•	•							•	
40	•	•	•	•						•	•
45	•	•									
50	•	•	•	•							•

CAPACITY


Ø	Ø Orifice	Volume (ml)																		
		3	5	10	20	30	40	50	60	70	80	100	120	140	160	180	200	220	240	
13.5	1.5~2	51																		
16	1.5~2		51	71																
19	1.5~3		48	66	101															
22				67	87	113														
25	2			57	73	93	113	134	154											
30					70	81	95	109	123	137	151									
35						70	87	97	107	117	128	149	169							
40	3~7						83	91	99	107	123	138	153	170	181					
45											80	96	112	128	144	160	176			
50												90	97	107	119	131	143	155	167	179

Specifications of the injection in welding part of tube containers

※ Length variation

▶ TUBE DIAMETER	
Tube (B)	Welding part (A)
$\varnothing 13.5-19$	1mm
$\varnothing 22-25$	1.5mm
$\varnothing 35-40$	2mm
$\varnothing 45-50$	2.5mm

Eco Friendly Refillable Set Refillable Dispenser



SPECIFICATION

- Refillable Container

FEATURES


- Exchagable cosmetic container applying its easy- removable system Reinforced airless performance by none- piston- parts structure decreases the trouble without bulk adoption
- Application of multi-layer film enhances barrier function
- Films available for transparent type to confirm bulk and aluminium type strong for untraviolet

SPECIFICATION

- Screw : 30ml, 40ml, 50ml

CAPACITY

Capacity	① Diameter	② Orifice	③ Bottle	④ Total	Closure
ml	mm	mm	high	height	type
30	40	2.8	94	148.5	Screw
40	40	2.8	109	163.5	Screw
50	40	2.8	124	178.5	Screw




特長

- 着脱が容易な独自の機構を採用した、取替え式の化粧品容器。ピストンパーツを使用しないエアレス容器なので、バルクをばらばら減。
- 多層フィルム採用で、バリアー性抜群。
- フィリムは、バルクが確認できる「透明タイプ」と紫外線にも強い「アルミタイプ」から選べる。

Eco Friendly Refillable Set

Refillable Cream Jar



APPLICATIONS

- Hair Cream, Gels, Cream, etc.

SPECIFICATION

- Screw : 30g, 50g



CAPACITY

- A type

Capacity	Diameter	A Bottle high	B Total height	Closure type
g	mm			
30	63	24	46	Screw
50	63	31.5	53	Screw

- B type

Capacity	Diameter	A Bottle high	B Total height	Closure type
g	mm			
30	69	24	49	Screw
50	69	31	56	Screw



MEMO

| Contact |

Head Office

sales@dmtpackaging.com

Tel | +82-32-812-7311~3

Fax | +82-32-812-7314

Website | www.dmtpackaging.com

Add | #718-2, Gojan-Dong, Namdong-Gu,
Inchon, 405-821, KOREA

European Contact point

info@dmtemea.de

Tel | +49-0-8122-945 570

Fax | +49-0-8122-945 5750

Add | Franz-Brombach-Str. 11-13
D-85435 Erding/Germany





Tel | +82-32-812-7311~3

Fax | +82-32-812-7314

Website | www.dmtpackaging.com

Add | #718-2, Gojan-Dong | Namdong-Gu | Incheon, 405-821, KOREA

COSMETIC PACKAGINGS

Airtight & Airless Systems

2012 Vol.4